

wellgo



[www.wellgopedal.com](http://www.wellgopedal.com)

[illegible]

# 2014

## TABLE OF CONTENTS



Grease hole design for easily maintenance.



Magnesium & Aluminum Body



Quick Release Device



Multi function



Replaceable Pin



NEW

08

MTB

12

ROAD

18

CITY/TREKKING

24

PLATFORM  
EXERCISER  
FOLDING

31

ACCESSORIES

43

FOOT GUARD  
STILL AVAILABLE

47

USED TO

**LU-884**



**C098**



**LU-954**



**M-21**



**LU-A8**






**B181**



*thin & light*





Exploded



**Quick Release Device**

### ONE PIECE CONSTRUCTURE

To make the quick release crank and the pedal function as one.

### COMFORT

The new design has no interference on the platform surface.

### RELIABILITY

One piece design to make sure the security.


- \* One piece constructure to use a locker to fasten the axle housing.



- \* With a locker to fasten the pedal into the crank.



- \* The new design has no interference on the platform surface.



BCD : 130mm  
BODY : Aluminum 6061 forged



## Quick Release Device




2009 TBEA Creative Bicycles, Parts and Accessories Competition Award.

WELLGO QRD is available for many of our new and existing pedals in every category.

No tools are required and pedals can be removed with a flick of a finger.

The QRD design offers portability and additional security for bicycles when they are parked.

The ability to quickly remove the pedals without any tools saves time when storing your bike in tight spaces (e.g. car, closet, box).





# QRDII-C231B LOCKING PEDAL




- BODY : Aluminum / ED black or painted Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 102 \* 100 \* 26 mm
- ORIGIN : Taiwan



Quick Release Device



To solve the noising sound while riding on bumpy road and the inconvenience for carry the locker outdoor, wellgo new patented pedal has been connected the pedal and the locker, it offers the rider to easily remove the pedal and put it onto the spoke as a locker, and this concept design is all compatible to all bike.



front wheel



rear wheel



The pedal could be locking at front or rear spoke as a locker


## M240



COLOR ETCHED

- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 97 \* 60 \* 23 mm
- OPTION : M240V M240C
- ORIGIN : Taiwan

## C241



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 92.5 \* 78 \* 24.8 mm
- OPTION : C241V C241C
- ORIGIN : Taiwan

## M232



- BODY : Aluminum / ED black or painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 98 \* 65 \* 20 mm
- ORIGIN : Taiwan

## C220



- BODY : Aluminum  
Barrel silver with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 108.4 \* 82.4 \* 27.2 mm
- ORIGIN : Taiwan & China

## M224G



- BODY : Aluminum / ED black with  
CNC machined
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102.5 \* 66 \* 25 mm
- OPTION : Sealed bearing version as M224GB
- ORIGIN : Taiwan & China

## B242



- BODY : Aluminum 6061 extruded  
CNC machined / Tri-Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 103.8 \* 101.5 \* 18.5 mm
- OPTION : B242R B242V B242C
- ORIGIN : Taiwan



## B219



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 108.7 \* 106.7 \* 25 mm
- OPTION : B219R B219V B219C
- ORIGIN : Taiwan

## B223BP



- BODY : PC translucent color
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 111 \* 100 \* 27 mm
- OPTION : Ball Bearing version as B223P
- ORIGIN : Taiwan

186C

## B245



- BODY : Aluminum / ED black or Painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 112 \* 100 \* 29 mm
- OPTION : B245R B245V B245C
- ORIGIN : Taiwan



Side View

## B223BN



- BODY : Nylon with Fiber
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 111 \* 100 \* 27 mm
- OPTION : Ball Bearing version as B223N
- ORIGIN : Taiwan

802C

## B233



- BODY : Aluminum / ED black or Painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 110.5 \* 100 \* 26 mm
- OPTION : B233R B233V B233C
- ORIGIN : Taiwan



Side View

Built in  
Reflector

## COLOR OPTION



528C BLACK CLEAR 154C 186C



809C 364C 300C





1. Patent pending design for double DU bushing unique construction.
2. Durable axle material for impact.
3. Highend manufacture procedure with good value and very reasonable prices.

## M248DU



- BODY : Aluminum / Barrel silver
- CAGE: Steel / ED black
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 99.7 \* 63.2 \* 23.5 mm
- ORIGIN : Taiwan & China

## M195DU



- BODY : Aluminum / Barrel silver
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 100 \* 100 \* 26.2 mm
- ORIGIN : Taiwan

## B249DU



- BODY : Aluminum / Barrel silver
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 111.5 \* 102 \* 27.6 mm
- ORIGIN : Taiwan & China

## M195



- BODY : Aluminum / ED black  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 100 \* 100 \* 26.2 mm
- OPTION : Replaceable pin as M195R
- M195V M195C
- Seald bearing version as M195B
- ORIGIN : Taiwan

### COLOR OPTION FOR ANODIZED



### COLOR OPTION FOR PAINTED



## M177B



- BODY : Aluminum / ED black or painted Magnesium / Painted
- SPINDLE : Ti or Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 84 \* 64.5 \* 34 mm
- OPTION : Ball bearing version as M177
- ORIGIN : Taiwan



### FEATURES:

- ① MTB Dual-Sided Clipless innovative element: extended stepping width design to improve the riding comfortable, the low profile design makes the pedal even lighter and attractive.... the reinforcement streamline body even more stronger.
- ② With anti-scratch concept and adjustable tension design makes the engaging and disengaging more easy and smooth.
- ③ The tension screw could be adjusted with many stages according to rider's demands and the open indicator could gives the riders to read the adjusting tension stages easily This provide the advantage for the safety and better function.



## M094B



- BODY : Aluminum / ED black or painted Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 80.9\* 65.3 \* 33.8 mm
- OPTION : Ball bearing version as M094
- ORIGIN : Taiwan

## W-01



- BODY : Aluminum / ED black or painted Magnesium / Painted
- SPINDLE : Ti or Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 80.1\* 66\* 30.6 mm
- ORIGIN : Taiwan

## WPD-801




- BODY : Aluminum / ED black or painted
- SPINDLE : Ti or Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 82.4 \* 66.8 \* 32.8 mm
- OPTION : Magnesium version as MG-18
- ORIGIN : Taiwan

## WAM-M19



- BODY : Aluminum / ED black or painted
- SPINDLE : Ti or Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 79.8 \* 59.8 \* 30.1 mm
- ORIGIN : Taiwan

## WAM-M717



- BODY : Cr-Mo investment Painted
- SPINDLE : Ti or Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 83.6 \* 57.8 \* 29.3 mm
- ORIGIN : Taiwan

## WAM-M18



- BODY : Cr-Mo investment  
ED black or painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 78.6 \* 61.7 \* 31.5 mm
- ORIGIN : Taiwan

## WPD-823



- BODY : Aluminum / ED black or Painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 81.4 \* 63 \* 34.5 mm
- ORIGIN : Taiwan

## WAM-M919



- BODY : Aluminum / ED black or painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 83.8 \* 58.9 \* 35.5 mm
- ORIGIN : Taiwan



# M151

MULTI FUNCTIONAL  
PEDAL



## Patent on length-changing design

- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- CAGE : Aluminum / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107 \* 60 \* 22 mm
- ORIGIN : Taiwan



87mm



99mm



107mm



User could change the pedal size to meet their own needs.

**Patented Pedal**

M384157  
CN201020101444.1

## M167



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 97.5 \* 62 \* 22 mm
- ORIGIN : Taiwan

## M194



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 100 \* 99.3 \* 23 mm
- OPTION : M194V M194C
- ORIGIN : Taiwan

## M163



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 100.3 \* 62 \* 22 mm
- ORIGIN : Taiwan

## M142



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 100 \* 60 \* 24.5 mm
- OPTION : M142V M142C
- ORIGIN : Taiwan

## M079



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 100.8 \* 60 \* 24.4mm
- OPTION : M079V M079C
- ORIGIN : Taiwan

## M138



- BODY :  
Aluminum / ED black or painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 102 \* 68 \* 29 mm
- OPTION : M138V M138C
- ORIGIN : Taiwan



Grease hole for  
easy maintenance.



Built-in reflector make the pedal  
looks more simple and elegant



## M111



- BODY : Aluminum forged / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 99 \* 61 \* 18 mm
- ORIGIN : Taiwan

## LU-C28



- BODY : Aluminum forged / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 101.1 \* 64.4 \* 21.5 mm
- ORIGIN : Taiwan

## M-20



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 101.1 \* 63 \* 24 mm
- ORIGIN : Taiwan

## M149



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 97 \* 63 \* 24 mm
- OPTION : Sealed bearing version as M149B
- ORIGIN : Taiwan & China

## M-21



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 100.7 \* 63 \* 24 mm
- ORIGIN : Taiwan & China

## M085



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 99 \* 63 \* 24 mm
- OPTION : Available for 2DU version
- ORIGIN : Taiwan & China



## M113




Mountable with "snap in" toe clip system



- BODY : One piece plastic black
- SPINDLE : Boron or Cr-Mo
- BEARING : Ball bearing
- SIZE : 103.5 \* 78 \* 25.5 mm
- ORIGIN : Taiwan & China



MT-19  
"snap in toe clip"



1. Push down the buckle




2. Have the strap through the buckle



3. Release the buckle



4. Have the strap go through the upper hole of the buckle to hold the strap



## M095



- BODY : One piece plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 103 \* 76 \* 25.5 mm
- ORIGIN : Taiwan & China

## M141



Mountable with "snap in" toe clip system



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 105.3 \* 63 \* 24 mm
- OPTION : Available for 2DU version
- ORIGIN : Taiwan & China

## R168



- BODY : Engineering plastic
- SPINDLE : Cr-Mo or Ti
- BEARING : 3 Sealed bearing
- CLEAT : RC7A/ B/ C compatible
- SIZE : 89.8 \* 81 \* 32.5 mm
- ORIGIN : Taiwan



Tension indicator



Stainless plate "could prevent the scratch from movement".



### FEATURES:


- \* One piece body forming with the stainless plate providing better smoothing and prevent to scratch from movement.
- \* Wider and larger step surface makes the step more comfortable.
- \* Using the ultra light weight Engineering Plastics for pedal body.
- \* Using 3 bearings for better function and easy for replacement and maintenance.
- \* With the tension indicator with anti-loose design.

## POSI-R168

WELLGO first innovates

### Auto Reset Positioner

By using the magnet element, to control the clipless step entry side to the position whatever which angle the user wants to set.



standard



positioner

By this positioner, the user could be easily to clip the shoes onto the pedal without looking at the pedal and reduce the injury for missing the engagement.



**TBEA**  
Taiwan Bicycle  
Exporters' Association  
2011 TBEA Creative Bicycles,  
Parts and Accessories  
Competition Award.

## R191B



- BODY : Aluminum / Barrel silver with kraton top
- SPINDLE : Cr-Mo or Ti
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 90 \* 87.5 \* 32 mm
- OPTION : Ball bearing version as R191
- ORIGIN : Taiwan



## R120B



- BODY : Aluminum / Barrel silver or painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 85 \* 84 \* 33.5 mm
- OPTION : Ball bearing version as R120 with mold pin
- ORIGIN : Taiwan



R120BA R120BV R120BC

## W41



- BODY : Cr-Mo investment  
ED black or painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 78.6 \* 54.2 \* 24.3 mm
- OPTION : Sealed bearing version as W-41B
- ORIGIN : Taiwan

## W-44B



- BODY :  
Aluminum / ED black or painted  
Magnesium / Painted color
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 82.8 \* 76 \* 46.8 mm
- OPTION : Ball bearing version as W44
- ORIGIN : Taiwan

## RC-713



- BODY : Aluminum  
Polished or painted
- SPINDLE : Cr-Mo or Ti
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 79.8 \* 65.3 \* 27.9 mm
- ORIGIN : Taiwan



## W-43



- BODY : Aluminum/ Barrel silver or painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 90 \* 100 \* 32.5 mm
- ORIGIN : Taiwan



## MG-8



- BODY : Magnesium/ Painted
- SPINDLE : Cr-Mo or Ti
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 79.8 \* 64.8 \* 27.8 mm
- ORIGIN : Taiwan



## R096B



- BODY : Aluminum / ED black or painted Magnesium / Painted
- SPINDLE : Cr-Mo or Ti
- BEARING : Needle / Sealed
- CLEAT : RC7A/ B/ C compatible
- SIZE : 81 \* 87 \* 33 mm
- OPTION : Ball bearing version as R096
- ORIGIN : Taiwan

## W40



- BODY : Aluminum / ED black or painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : RC-5 / RC-6  
LOOK "ARC" compatible
- SIZE : 85 \* 92 \* 33 mm
- OPTION : Sealed bearing version as W40B
- ORIGIN : Taiwan

## MG-9



- BODY : Magnesium / Painted
- SPINDLE : Cr-Mo or Ti
- BEARING : DU / Sealed
- CLEAT : RC-5 / RC-6,  
LOOK "ARC" compatible
- SIZE : 85.2 \* 95.8 \* 34.2 mm
- ORIGIN : Taiwan

## R146




- BODY : Aluminum / ED black or painted Magnesium / Painted color
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 85 \* 86 \* 32 mm
- OPTION :  
R146A R146V R146C
- ORIGIN : Taiwan

## R074



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 91.5 \* 60 \* 21.6 mm
- ORIGIN : Taiwan



- Dual-sided with patent bending platform shape, simple elegant and lightweight design.
- Grease hole design to provide users to maintain pedal easily and keep the best condition.

## WR-1



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 93 \* 61.5 \* 22 mm
- ORIGIN : Taiwan

## LU-C16



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo or Ti
- BEARING : DU / Sealed
- SIZE : 92.9 \* 61.5 \* 22 mm
- ORIGIN : Taiwan

## R200



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 99 \* 63.2 \* 22 mm
- OPTION : Sealed bearing version  
as R200B
- ORIGIN : Taiwan & China

## R110B



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 88 \* 68.6 \* 29 mm
- OPTION : Ball bearing version as R110
- ORIGIN : Taiwan

## R199



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 99 \* 63.2 \* 22 mm
- ORIGIN : Taiwan & China

## R126



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 104.6 \* 63 \* 24 mm
- OPTION : Sealed bearing version as R126B
- ORIGIN : Taiwan & China

## R173



Mountable with "snap in" toe clip system



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 103.5 \* 63 \* 23.5 mm
- ORIGIN : Taiwan & China



## R090



Mountable with "snap in" toe clip system





- BODY : One piece plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 99 \* 79.8 \* 24 mm
- ORIGIN : Taiwan



## R125



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 104.6 \* 63.2 \* 24 mm
- ORIGIN : Taiwan & China



Depends on design, it might request the screw or not.



## R025B



\* Mountable with steel toe clip and strap.  
Leather strap available in black, brown and white.

\* 2 pieces cut cage design offers premium ground clearance.

- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 90.1 \* 64.8 \* 27.7 mm
- OPTION : ball bearing version as R025
- ORIGIN : Taiwan

### W-5 Single leather strap



White

Brown

Black

### W-6 Double leather strap



White

Brown

Black

## R104B



\* One piece aluminum Classic cage shape, fashion but also elegant, mountable with steel toe clip and leather strap.

- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 65.6 \* 30.8 mm
- OPTION : ball bearing version as R104
- ORIGIN : Taiwan

### MT-16

Steel toe-clip with CP finished.  
Size: M / L / XL



### MT-20

Steel toe-clip with CP finished.  
Size: M / L



### MT-21

Steel toe-clip with CP finished.  
Size: M / L



### OTHER OPTIONS



Brown

Black

Blue

Purple

Red

Yellow

Green

Pewter

Tangerine

## C176B



- BODY : Aluminum / Barrel silver or ED black
- CAGE : Aluminum / ED black or anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 104 \* 63.2 \* 28 mm
- OPTION : Ball bearing version as C176
- ORIGIN : Taiwan

### FEATURES:

Trekking single-sided clipless innovative element. The waving linear design on the body makes the design more vitality and out of the conventional concept, the extended stepping width surface also improves the riding more comfortable.

The tension screw could be adjusted with many stages as per rider's demands and the indicator design gives the riders awareness the adjusting stages. In addition, the outer cage design also provides better traction while riding.

## C002B



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black or anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 101.7 \* 65.4 \* 29.8mm
- OPTION : Ball bearing version as C002
- ORIGIN : Taiwan

## C099



- BODY : Aluminum / Barrel silver
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 80.9 \* 65.3 \* 33.8 mm
- OPTION : Sealed bearing version as C099B
- ORIGIN : Taiwan



## WPD-M17C



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black or anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 100.8 \* 65.2 \* 27.2 mm
- ORIGIN : Taiwan



## WPD-95B



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black or anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 101.7 \* 65.4 \* 29.8 mm
- ORIGIN : Taiwan



## C165




- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 92.5 \* 78 \* 25 mm
- OPTION : C165V C165C
- ORIGIN : Taiwan

## C193



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- CAGE : Aluminum / Anodized
- SPINDLE : Cr-Mo

- BEARING : DU / Sealed
- SIZE : 110 \* 67.2 \* 23 mm
- OPTION : C193V C193C
- ORIGIN : Taiwan



## C161



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 108 \* 78 \* 26 mm
- OPTION : C161V C161C
- ORIGIN : Taiwan

## C162



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 92 \* 78 \* 25 mm
- OPTION : C162V C162C
- ORIGIN : Taiwan

## C129



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 88.6 \* 60 \* 21.6 mm
- ORIGIN : Taiwan

## C006




- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 95 \* 61.5 \* 22.9 mm
- ORIGIN : Taiwan

## C089B



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 86.7 \* 63.2 \* 20 mm
- OPTION : Ball bearing version as C089
- ORIGIN : Taiwan

## C091



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : 2 Sealed
- SIZE : 92.6 \* 90 \* 27.4 mm
- OPTION : C091V C091C
- ORIGIN : Taiwan



## LU-C27G



- BODY : Aluminum / ED black with CNC machined
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 101.5 \* 63.3 \* 23.3 mm
- OPTION : Sealed bearing version as LU-C27GB
- ORIGIN : Taiwan

## C128



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106.3 \* 63 \* 24 mm
- OPTION : Sealed bearing version as C128B
- ORIGIN : Taiwan & China

## C201



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 110 \* 80 \* 25 mm
- OPTION : Sealed bearing version as C201B
- ORIGIN : Taiwan & China

## C202



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 110 \* 80 \* 25 mm
- OPTION : Sealed bearing version as C202B
- ORIGIN : Taiwan & China

## C175



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 110 \* 80 \* 25 mm
- ORIGIN : Taiwan & China

## C174



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 110 \* 80 \* 25 mm
- ORIGIN : Taiwan & China

## C127



- BODY : Plastic black
- CAGE : Aluminum or steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106.3 \* 63 \* 24 mm
- ORIGIN : Taiwan & China

## C-32B



- BODY : Aluminum / Barrel silver with kraton top
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 102.9 \* 69.6 \* 24.2 mm
- OPTION : Ball bearing version as C32
- ORIGIN : Taiwan

## C098



- BODY : Aluminum body with plastic cage overmolded kraton
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 103 \* 79.5 \* 24 mm
- OPTION : Sealed bearing version as C098B
- ORIGIN : Taiwan

## C122



- BODY : Aluminum / Barrel silver with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 100 \* 83 \* 25 mm
- OPTION : Sealed bearing version as C122B
- ORIGIN : Taiwan

## C016



- BODY : Aluminum / Barrel silver with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106 \* 91 \* 30 mm
- OPTION : Sealed bearing version as C016B
- ORIGIN : Taiwan



## C145



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum overmolded kraton
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 96 \* 70.5 \* 24 mm
- OPTION : Sealed bearing version as C145B
- ORIGIN : Taiwan & China

## C169



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum overmolded kraton
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 105 \* 80 \* 27 mm
- OPTION : Sealed bearing version as C169B
- ORIGIN : Taiwan & China

## C172



- BODY : Plastic with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106.5 \* 81 \* 24.8 mm
- OPTION : Available for 2DU version
- ORIGIN : Taiwan

## C097



- BODY : Plastic with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 103 \* 79.5 \* 24 mm
- ORIGIN : Taiwan

## C160



- BODY : Plastic with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 120 x 80 x 27mm
- ORIGIN : Taiwan

## C112



- BODY : Plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 x 75 x 27mm
- ORIGIN : Taiwan & China

## NRP-BW



- SIZE : #37- #39
- SOLE : Double injection molding with TPU new clipless mechanism.
- MATERIAL :  
Microfabric leather with reflect woven tape and air mesh upper.  
Injection whole piece heel cover cage.
- COLOR : Light Blue / White

## NRP-SW



- SIZE : #40 - #44
- SOLE : Double injection molding with TPU new clipless mechanism.
- MATERIAL :  
Microfabric leather with reflect woven tape and air mesh upper.  
Injection whole piece heel cover cage.
- COLOR : Silver / White

## C170



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 106 \* 78 \* 31 mm
- OPTION : C170V C170C
- ORIGIN : Taiwan

## B171



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 100 \* 31.5 mm
- OPTION : B171V B171C
- ORIGIN : Taiwan


## B181



- BODY : Aluminum forged / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- OPTION : B181R B181V
- SIZE : 104 \* 63.2 \* 28 mm
- ORIGIN : Taiwan

### FEATURES:

- \* Aluminum forged body with CNC machine.
- \* Light and strong, only 326g/pr.
- \* Super thin platform design with lower stepping surface to increase the riding efficient.



## WAM-D10



- BODY : Magnesium / Painted color
- SPINDLE : Cr-Mo
- BEARING : Needle / DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 109.1 \* 94.7 \* 33.8 mm
- ORIGIN : Taiwan



## W-70



- BODY : Aluminum / ED black  
CNC machined
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 104 \* 89 \* 30.1 mm
- ORIGIN : Taiwan



## B190



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 102 \* 103.8 \* 19.8 mm
- OPTION : B190V B190C   
B190A
- ORIGIN : Taiwan

## B185



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 111 \* 100 \* 27 mm
- OPTION : B185R B185V
- ORIGIN : Taiwan

## B184



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 105.5 \* 100 \* 27 mm
- OPTION : B184R B184V
- ORIGIN : Taiwan

## B143



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107.3 \* 100 \* 26.1 mm
- OPTION : B143V B143C
- ORIGIN : Taiwan



for better grip



grease hole



customize pin location

### FEATURES :

1. Lighter and Larger platform with patent applied on shape design.
2. Unique pedal surface offers user the customize pins location.
3. Grease hole design to provide users to maintain pedal in the best condition.



## B158



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 109.5 \* 109 \* 26 mm
- OPTION : B158V B158C
- ORIGIN : Taiwan

## B150



- BODY : Aluminum 6061 extruded  
CNC Machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104.5 \* 100 \* 26 mm
- OPTION : B150V B150C
- ORIGIN : Taiwan

## B164



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 100 \* 26 mm
- OPTION : B164V B164C
- ORIGIN : Taiwan

## B114



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107.3 \* 100 \* 25.9 mm
- OPTION : B114V B114C
- ORIGIN : Taiwan

## B166



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 100 \* 26.5 mm
- OPTION : B166V B166C
- ORIGIN : Taiwan

## B117



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107.4 \* 100 \* 24.5 mm
- OPTION : B117R B117V   
B117C
- ORIGIN : Taiwan



## B124




- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107.3 \* 100 \* 25.7 mm
- OPTION : B124V B124C
- ORIGIN : Taiwan

## B132



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 103.5 \* 100 \* 25 mm
- OPTION : B132V B132C
- ORIGIN : Taiwan

## B144



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 100 \* 26.6 mm
- OPTION : B144V B144C
- ORIGIN : Taiwan

## B131



- BODY : Aluminum 6061 extruded  
CNC Machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104 \* 100 \* 25.9 mm
- OPTION : B131V B131C
- ORIGIN : Taiwan

## B103



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107 \* 100 \* 26.3 mm
- OPTION : B103V B103C
- ORIGIN : Taiwan


## B030



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 109.5 \* 100 \* 21.9 mm
- OPTION : B030R B030V   
B030C
- ORIGIN : Taiwan



## B060



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 103 \* 100 \* 23.6 mm
- OPTION : B060R B060V   
B060C
- ORIGIN : Taiwan

## B118



- BODY : Aluminum 6061 extruded  
CNC Machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 103.6 \* 100 \* 24.2 mm
- OPTION : B118V B118C
- ORIGIN : Taiwan

## B064




- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 103.5 \* 100 \* 25 mm
- OPTION : B064R B064V   
B064C
- ORIGIN : Taiwan

## B065



- BODY : Aluminum 6061 extruded  
CNC machined / Anodized
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 104.5 \* 100 \* 24 mm
- OPTION : B065R B065V   
B065C
- ORIGIN : Taiwan

CNC machined



## MG-1



- BODY : Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 114.6 \* 106.2 \* 30.8 mm
- OPTION :  
MG-1R MG-1V MG-1C
- ORIGIN : Taiwan

## LU-A52



- BODY : Aluminum / ED black or painted  
Magnesium MG52 / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 109 \* 106 \* 25 mm
- OPTION :  
Ball bearing version as LU-A52A
- ORIGIN : Taiwan

## B087B



- BODY : Aluminum / ED black or painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 109 \* 100.5 \* 26 mm
- OPTION : Available for 2DU version  
Ball bearing as B087 with mold pin  
B087U B087R B087V
- ORIGIN : Taiwan & China

## B137B



- BODY : Aluminum / ED black or painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 107.5 \* 94 \* 32 mm
- OPTION : Ball bearing as B137 with mold pin  
B137BV B137BC
- ORIGIN : Taiwan

## B102B



- BODY : Aluminum / ED black or painted
- SPINDLE : Cr-Mo
- BEARING : DU / Sealed
- SIZE : 113.5 \* 102 \* 27.6 mm
- OPTION : Ball bearing as B102 with mold pin  
B102U B102R B102V
- ORIGIN : Taiwan

## B155



- BODY : Aluminum / ED black or painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : Ball Bearing
- SIZE : 108.5 \* 100 \* 28 mm
- OPTION : Sealed bearing version as B155B
- B155U B155R B155V
- B155C
- ORIGIN : Taiwan



## B121



- BODY : Aluminum / Barrel silver or ED black  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : Ball Bearing
- SIZE : 112 \* 100 \* 30.5 mm
- OPTION : Sealed bearing version as B121B
- B121R B121V B121C
- ORIGIN : Taiwan

## B123



- BODY : Plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 111 \* 98.7 \* 26.5 mm
- ORIGIN : Taiwan

## B180U



- BODY : Aluminum / ED black or Painted  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 109.3 \* 100 \* 30 mm
- OPTION : Sealed Bearing version as B180B  
mold pin as B180
- B180BU B180BA B180BR
- B180BV B180BC
- ORIGIN : Taiwan

## B088



- BODY : Plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102 \* 28.5 mm
- ORIGIN : Taiwan & China

## B133



- BODY : Aluminum / Barrel silver or ED black  
Magnesium / Painted
- SPINDLE : Cr-Mo
- BEARING : Ball Bearing
- SIZE : 105.4 \* 90.2 \* 28 mm
- OPTION :  
Sealed bearing version as B133B
- B133U B133R B133V
- B133C
- ORIGIN : Taiwan

## B197P




- BODY : PC Translucent color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106 \* 90 \* 31.7 mm
- OPTION : Nylon with Fiber as B197N  
Plastic as B197
- ORIGIN : Taiwan



# B109P



PC



- BODY : Pc Translucent color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 111 \* 102.5 \* 30 mm
- OPTION : Nylon with fiber as B109N  
Plastic as B109
- ORIGIN : Taiwan

# B152



PP



- BODY : Plastic black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 101 \* 90 \* 27.5 mm
- OPTION : PC translucent body as B152P  
Nylon with fiber as B152N
- ORIGIN : Taiwan



PC  
(Strap mountable)



PC  
(Strap mountable)

# STRAP

W7



Black

W8



Rainbow



Reflective



Black



Camouflage



Yellow



Purple



Grey



Red



Green



Blue



Fuchsia



White

## B107P



347C

- BODY : PC Translucent color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102.4 \* 28.4 mm
- ORIGIN : Taiwan

## B107N



576C

- BODY : Nylon with fiber
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102.4 \* 28.4 mm
- ORIGIN : Taiwan

## B107UV



- BODY : UV material
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102.4 \* 28.4 mm
- ORIGIN : Taiwan



2708A



3945B



#19



#14

**UV PEDAL:**

UV material pedal will change color under UV ray or sunlight and without the element it will return back to the original color, the color is changed relies on the UV ray.

**WARNING:**

1. Prohibited to have the UV pedal to be displayed under the spotlight for long period, which may destroy the UV element and reduce the function.
2. Color-changing function will decrease if the pedal continuous been exposed under the UV light for 336 hours.

## B108RP



Rubine Red

- BODY : PC Translucent color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102.4 \* 32 mm
- ORIGIN : Taiwan

## B108RN



154C

- BODY : Nylon with fiber
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 112 \* 102.4 \* 32 mm
- ORIGIN : Taiwan



## ■ Color option for nylon material



Black



528C



186C



154C



292C



802C

## ■ Color option for PC material



Black



Clear



364C



154C



347C



528C



236C

## ■ Neon Colors



802C



810C



811C

## ■ Luminous

579C



Expose to light for 15 mins.

Glow in the dark for 20 mins.





## E148B



- BODY : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : 3 Sealed
- CLEAT : 98A or Shimano 51 compatible RC7A / B / C or LOOK "KEO" cleat compatible
- SIZE : 99 \* 87.5 \* 43.5 mm
- OPTION : Ball bearing version as E148
- ORIGIN : Taiwan



## E179



- BODY : Aluminum / Barrel silver
- CAGE : Steel / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 113 \* 62.6 \* 30 mm
- OPTION : Toe clip & strap mountable
- ORIGIN : Taiwan

Push down the buckle



Have the strap through the buckle



Release the buckle



Have the strap go through the upper hole of the buckle to hold the strap



## WPD-E003



- BODY : Aluminum / ED black
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 102.4 \* 72.4 \* 34.9 mm
- OPTION : W/O QBS or toe clip strap as E003
- 3 Sealed bearing version as WPD-E003B
- ORIGIN : Taiwan



## WPD-E14




- BODY : Aluminum barrel silver with kraton top
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- CLEAT : 98A or Shimano 51 compatible
- SIZE : 109 \* 80.2 \* 34.8 mm
- OPTION : W/O QBS or toe clip strap as E-14
- Sealed bearing version as WPD-E14B
- ORIGIN : Taiwan



## F178



- BODY : PC black
- CAGE : PC black or translucent color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 98 \* 72.2 \* 26 mm
- ORIGIN : Taiwan & China



The washer could help better contact while install the pedal into crank arm.



## F159



- BODY : PC black
- CAGE : PC black or translucent Color
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 97.5 \* 79 \* 28 mm
- ORIGIN : Taiwan & China



## F147



- BODY : PC black
- CAGE : Aluminum  
ED black or barrel silver
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 106 \* 81 \* 30 mm
- ORIGIN : Taiwan & China

## FP-7



- BODY : Aluminum / ED black or barrel silver
- CAGE : Aluminum / ED black or barrel silver
- SPINDLE : Cr-Mo
- BEARING : Ball bearing
- SIZE : 100 \* 81 \* 25.8 mm
- ORIGIN : Taiwan & China

## TOE CLIP

### MT-3

Double support design with instep guard.  
MT-3 size L,  
MT-4 size S,  
MT-5 size M.



### MT-6

Large supportive design with instep guard.



### MT-7

Mini toe-clip  
Size: 82.7 x 53.8mm



### RP-1

Classic road racing toe-clip  
Size: M / L



### MT-10

Strapless toe-clip for technical or casual riding.



### MT-11

Large supportive design with instep guard and built-in reflector.  
MT-11 size L,  
MT-12 size M.



### MT-14

Double supportive design with built-in reflector.  
MT-13 size M,  
MT-14 size L.



### MT-19

Size: S / M / L / XL



## NYLON TOE-STRAP

### W-4

Nylon toe-strap with heavy-duty buckle.



Black

### W-2



Black



White



Grey



Green



Blue



Red

### SC-1


Foot guard to any strap attachable.



## SPINDLE


### K001

Axle replacement kit.



### K004

Bearing replacement kit.





## WRENCH

28-1 (2mm)



28-8 (4mm)  
For C-Pin



28-2 (6mm)



28-9



## PIN OPTIONS

Color:



D1-Pin  
28-7 8mm



A-Pin  
28-B19 8mm  
28-B7 6mm



U-Pin  
28-11 11mm  
28-12 12mm



D2-Pin  
28-2 8mm




C-Pin  
33-C9 9mm



V-Pin  
33-V9 9.5mm



R-Pin  
33-R9 9.5mm



## REFLECTOR



### BOLT TYPE

Bolt-on reflector set for standard MTB pedals.  
25 g/pr



### SNAP ON

Snap-on reflector set.




### LONG SNAP ON


Extra-long snap-on reflector set.

### 98A-R

Reflector for pedals using 98A cleat.  
60 g/pr



### RR1-5



Flash for warning



**98R**  
Cleat kit  
4 degree float  
77 g/pr



**98A**  
Cleat kit with improved  
mud clearance features.  
4 degree float  
52 g/pr



**RC8**  
New cleat design for mountain  
clipless pedal to be assembled  
on LOOK style shoes.  
MATERIAL : Cr-Mo  
126 g/pr



**99A**  
Cleat kit  
4 degree float  
49 g/pr



**RC-3**  
Cleat kit for WAM-R2 and R4.  
4 degree float  
105 g/pr



**RC-4**  
Cleat kit for WAM-R2 and R4.  
4 degree float  
93 g/pr

9°



RC-7A

Cleat kit for R096, R168 & E148  
 9 degree lateral float  
 82 g/pr

6°



RC-7B

Cleat kit for R096, R168 & E148  
 6 degree lateral float  
 82 g/pr

0°




RC-7C

Cleat kit for R096, R168 & E148  
 0 degree lateral float  
 82 g/pr



4 mm Allen Key



9°



RC-5


Cleat kit for WAM-R1, R3 and MG-9, W40, CR-1.  
 9 degree lateral float  
 90 g/pr

0°




RC-6

Cleat kit for WAM-R1, R3 and MG-9, W40, CR-1.  
 0 degree lateral float  
 90 g/pr



4mm Allen key





## M141DU



Mountable with "snap in" toe clip system



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 105.3 \* 63 \* 24 mm
- ORIGIN : Taiwan & China

## C172DU



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 106.5 \* 81 \* 24.8 mm
- ORIGIN : Taiwan

## C246DU



- BODY : One piece plastic black
- SPINDLE : Boron
- BEARING : 2DU
- SIZE : 106.3 \* 80.9 \* 23.8 mm
- ORIGIN : Taiwan & China

## LU-934



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 78 \* 33.5 mm
- ORIGIN : Taiwan & China

## LU-964



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 70 \* 32 mm
- ORIGIN : Taiwan & China

## LU-C015



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 63 \* 24 mm
- ORIGIN : Taiwan & China

## LU-946



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 100 \* 78 \* 32 mm
- ORIGIN : Taiwan & China

## LU-933



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 75 \* 33 mm
- ORIGIN : Taiwan & China

## LU-C9



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 70 \* 32 mm
- ORIGIN : Taiwan & China

## LU-C3



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 103 \* 63 \* 28 mm
- ORIGIN : Taiwan & China

## LU-C014



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 96 \* 63 \* 24 mm
- ORIGIN : Taiwan & China

## LU-944



- BODY : Aluminum / Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 100 \* 74 \* 30 mm
- ORIGIN : Taiwan & China

## LU-C25



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 106 \* 64.5 \* 28.5 mm
- ORIGIN : Taiwan & China

## LU-895



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 104.5 \* 77 \* 31.5 mm
- OPTION : Build in reflector as LU-895N  
Ball less as LU-895NB
- ORIGIN : Taiwan & China

## LU-C4



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 109.5 \* 62 \* 29 mm
- ORIGIN : Taiwan & China

## LU-975



- BODY : Aluminum  
Barrel silver with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 103 \* 71.5 \* 31 mm
- ORIGIN : Taiwan & China

## LU-948



- BODY : Plastic black
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 98 \* 74 \* 30 mm
- ORIGIN : Taiwan & China

## C157



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 63.3 \* 24.5 mm
- ORIGIN : Taiwan & China



## LU-C33



- BODY : Aluminum  
Barrel silver with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 107 \* 70 \* 26.5 mm
- ORIGIN : Taiwan & China

## LU-206



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 110 \* 84 \* 32 mm
- ORIGIN : Taiwan & China

## LU-P27



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 83 \* 29 mm
- ORIGIN : Taiwan & China

## LU-T9



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 103 \* 69.5 \* 28 mm
- ORIGIN : Taiwan & China

## LU-P6



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108 \* 96 \* 32 mm
- ORIGIN : Taiwan & China

## LU-990



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 106.5 \* 94 \* 33.2 mm
- ORIGIN : Taiwan & China

## LU-C34



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108.5 \* 72 \* 28.5 mm
- ORIGIN : Taiwan & China

## LU-941



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 103 \* 68 \* 30 mm
- ORIGIN : Taiwan & China

## LU-884



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 105 \* 72 \* 32 mm
- ORIGIN : Taiwan & China

## LU-C35



- BODY : Plastic with kraton top
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 105 \* 73.5 \* 30 mm
- ORIGIN : Taiwan & China

## LU-978



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 71 \* 30.5 mm
- ORIGIN : Taiwan & China

## LU-894



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108.5 \* 68.5 \* 26 mm
- ORIGIN : Taiwan & China

## LU-468



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108.5 \* 69 \* 31.5 mm
- ORIGIN : Taiwan & China

## LU-P26



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 111 \* 83 \* 28 mm
- ORIGIN : Taiwan & China

## LU-866



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 106 \* 71.5 \* 36.5 mm
- ORIGIN : Taiwan & China

## LU-892



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 75 \* 31 mm
- ORIGIN : Taiwan & China

## LU-P14



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108 \* 70 \* 26 mm
- ORIGIN : Taiwan & China

## R-11



- BODY : Plastic black
- CAGE : Aluminum / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 63 \* 29 mm
- ORIGIN : Taiwan & China



## LU-P21



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 90 \* 65 \* 31 mm
- ORIGIN : Taiwan & China

## LU-P20



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 82 \* 54.5 \* 31 mm
- ORIGIN : Taiwan & China

## LU-873



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 90 \* 65 \* 29 mm
- ORIGIN : Taiwan & China

## LU-937NB



- BODY : Plastic black
- SPINDLE : Steel
- BEARING : Ball-less
- SIZE : 95 \* 64 \* 27 mm
- ORIGIN : Taiwan & China

## LU-213NB



- BODY : Plastic black
- SPINDLE : Steel
- BEARING : Ball-less
- SIZE : 99 \* 74 \* 30 mm
- ORIGIN : Taiwan & China

## LU-942NB



- BODY : Plastic black
- SPINDLE : Steel
- BEARING : Ball-less
- SIZE : 90.5 \* 61.5 \* 26 mm
- ORIGIN : Taiwan & China

## LU-996



- BODY : Aluminum  
ED black or painted
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 99 \* 92 \* 32 mm
- ORIGIN : Taiwan & China

## LU-313



- BODY : Aluminum  
ED black or painted
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 109.5 \* 105 \* 30 mm
- ORIGIN : Taiwan & China

## LU-B81



- BODY : Aluminum  
ED black or painted
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 109 \* 106 \* 30 mm
- ORIGIN : Taiwan & China

## LU-A8



- BODY : Aluminum  
ED black or painted
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 111 \* 110 \* 31 mm
- ORIGIN : Taiwan & China

## LU-A18



- BODY : Aluminum  
ED black or painted
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 106 \* 104 \* 31 mm
- ORIGIN : Taiwan & China

## LU-P17



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 92 \* 85.5 \* 29.5 mm
- ORIGIN : Taiwan & China

## LU-968



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 95.5 \* 81.5 \* 29.5 mm
- ORIGIN : Taiwan & China

## LU-B78



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 100.5 \* 95.5 \* 32 mm
- ORIGIN : Taiwan & China

## LU-984



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 107 \* 95.5 \* 28 mm
- ORIGIN : Taiwan & China

## LU-205



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 111.5 \* 99 \* 31.5 mm
- ORIGIN : Taiwan & China

## LU-P9



- BODY : Plastic black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 108 \* 105 \* 32.5 mm
- ORIGIN : Taiwan & China





#### **WELLGO PEDAL'S CORP.**

NO.3, Gong 7th Road, Youth Ind.Park,  
Dajia Dist., Taichung City 437,  
Taiwan  
TEL: 886-4-26816991-5  
FAX: 886-4-2681-6988, 2681-6998  
HTTP://www.wellgopedal.com  
E-MAIL: wd@wellgopedal.com

#### **WELLMAG TECHNOLOGY CO., LTD.**

NO.137, Qingnian Rd., Youth Ind.Park,  
Dajia Dist., Taichung City 437,  
Taiwan  
TEL: 886-4-2682-2398-9  
FAX: 886-4-2682-1909  
HTTP://www.wellmag.com.tw  
E-MAIL: wellmag1@wellmag.com.tw

#### **SHANGHAI FACTORY**

NO.103, Yuehd-Ho South Road  
Economic & Technical Development Zone,  
Kunshan, Jiangsu, China  
TEL: 86-512-57701991-4  
FAX: 86-512-57701995  
HTTP://www.wellgopedal.cn  
E-MAIL: wellgo01@pub.sz.jsinfo.net